

# HP Colour LaserJet Pro M280-M281 Multifunction Printer series



**Streamline productivity with simple scan solutions, high-quality colour, and easy mobile printing.**


Make an impact with high-quality colour and increased productivity. Get the fastest in-class two-sided printing speed and First Page Out Time (FPOT).<sup>1,2</sup> Scan, copy, and fax.<sup>9</sup> Count on simple security solutions, and get easy mobile printing.<sup>3</sup>



**HP Colour LaserJet Pro  
MFP M280nw**



**HP Colour LaserJet Pro  
MFP M281fdn**



**HP Colour LaserJet Pro  
MFP M281fdw**

#### **Increase productivity with a colour MFP**

- Get the fastest in-class two-sided printing speed<sup>9</sup> and First Page Out Time (FPOT).<sup>1,2</sup>
- Get automatic two-sided printing<sup>9</sup>, and breeze through tasks with a 50-page automatic document feeder.
- Scan digital files directly to email, network folders, and more. Safeguard data, devices, and documents.<sup>5</sup>
- Easily manage tasks at the device with an intuitive touchscreen. Print documents directly from a USB drive.
- Speed through multipage documents with automatic two-sided printing.<sup>9</sup>

#### **More. Pages, Performance, and Protection.**

- Count on high-quality colour and more pages with Original HP Toner cartridges with JetIntelligence.<sup>6</sup>
- Get the Original HP quality you paid for with anti-fraud technology.
- Spend less time replacing toner, with optional high-yield cartridges.
- Speed through print jobs right out of the box, using preinstalled Original HP Toner cartridges.

#### **Easy mobile printing and scanning – HP Smart app**

- Print and scan from your smartphone, and easily order toner, with the HP Smart app.<sup>7</sup>
- Have confidence in your connection with steady performance from dual band Wi-Fi.<sup>4</sup>
- Connect your smartphone or tablet directly to your printer – and easily print without accessing a network.<sup>7</sup>
- Simply tap the print button on your smartphone or tablet to print.<sup>3</sup>

<sup>1</sup> Compared with the majority of colour laser MFPs < \$300 USD and Print Speed 0-30ppm, based on market share of IDC CYQ1 2017 Hardcopy Peripherals Tracker. Automatic Duplex Printing Speed based on manufacturers' published specifications as of June 12, 2017. See <http://www.hp.com/go/printerspeeds> <sup>2</sup> Comparison based on manufacturers' published specifications for First Page Out Time FPOT as of March 6, 2017. Includes colour laser MFPs < \$450 USD and printers < \$300 USD based on market share as reported by IDC as of Q4 2016. See <http://www.hp.com/go/printerspeeds> <sup>3</sup> For details on local printing requirements see <http://www.hp.com/go/mobileprinting> <sup>4</sup> Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at <http://www.hp.com/go/mobileprinting>. Wi-Fi is a registered trademark of Wi-Fi Alliance®. <sup>5</sup> Optional HP JetAdvantage Security Manager for additional purchase. Available on select product models and firmware versions. See product documentation or see <http://h10032.www1.hp.com/ctg/Manual/c03601723> (PDF 372KB) for details. <sup>6</sup> Based on cartridge yields for HP 201X compared with HP 202X Original HP LaserJet Toner Cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies> <sup>7</sup> Requires the HP Smart app download. Features controlled may vary by mobile device operating system. Full list of supported operating systems and details at <http://support.hp.com/us-en/document/c03561640>. For details on local printing requirements see <http://www.hp.com/go/mobileprinting> <sup>8</sup> HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade. <sup>9</sup> Available only on M281fdn and M281fdw models.

## Product walkaround

1. 6.85 cm (2.7-inch) colour touchscreen with customisable workflows
2. Front-facing USB printing port
3. 100-sheet output bin
4. Fastest in-class automatic two-sided printing <sup>1</sup>
5. Single-sheet priority input tray 1
6. 250-sheet input tray 2
7. 50-sheet ADF handles up to 21.6 x 35.6 cm (8.5 x 14-inch) paper
8. Flatbed scanner handles up to 21.6 x 29.7 cm (8.5 x 11.7-inch) paper
9. Front door (access to toner cartridges)
10. Wi-Fi Direct<sup>®</sup>
11. Easy mobile printing with the HP Smart App<sup>3</sup>
12. Power connection
13. USB 2.0 port
14. Ethernet port
15. Dual Band wireless networking<sup>4</sup>
16. Fax ports



HP Colour LaserJet Pro MFP M281fdw shown

## Series at a glance



Model	HP Colour LaserJet Pro MFP M280nw	HP Colour LaserJet Pro MFP M281fdn	HP Colour LaserJet Pro MFP M281fdw
<b>Product number</b>	T6B80A	T6B81A	T6B82A
<b>MFP capabilities</b>	Wireless, Print, copy, and scan	Wireless, Print, copy, scan, and fax	Wireless, Print, copy, scan, and fax
<b>Print speed (A4) Black/colour<sup>5</sup></b>	Up to 21/21 ppm	Up to 21/21 ppm	Up to 21/21 ppm
<b>Control panel</b>	6.85 cm (2.7-inch) colour touchscreen	6.85 cm (2.7-inch) colour touchscreen	6.85 cm (2.7-inch) colour touchscreen
<b>250-sheet input tray 2, single-sheet priority tray 1, 100-sheet output bin</b>	Yes	Yes	Yes
<b>Automatic document feeder (ADF) capacity</b>	50 sheets	50 sheets	50 sheets
<b>Two-sided printing speed, A4 (Black/colour)<sup>1</sup></b>	No	Automatic, 12/12ppm	Automatic, 12/12 ppm
<b>Wi-Fi Direct mobile printing<sup>2</sup></b>	Yes	Yes	Yes
<b>Dual Band Wi-Fi<sup>4</sup></b>	Yes	Yes	Yes
<b>Front-facing USB port</b>	Yes	Yes	Yes
<b>Cartridge yield, black/colour (in pages)<sup>6</sup></b>	In-box: ~1,400/700 A: ~1,400/1,300 X: ~3,200/2,500	In-box: ~1,400/700 A: ~1,400/1,300 X: ~3,200/2,500	In-box: ~1,400/700 A: ~1,400/1,300 X: ~3,200/2,500

<sup>1</sup> Fastest-in-class first page out time (FPOT) claim and fastest-in-class duplex print speed claim applies only to the HP Colour LaserJet Pro M254 series and MFP M280/M281 series. FPOT comparison based on manufacturers' published specifications for FPOT as of March 6, 2017. Includes colour laser MFPs <\$450 USD and printers <\$300 USD based on market share as reported by IDC as of Q4 2016. Duplex print speed compared with the majority of colour laser printers <\$300 USD and colour laser AiOs <\$450 USD and print speed 0-30 ppm, based on market share of IDC CYQ1 2017 Hardcopy Peripherals Tracker. Automatic duplex printing speed based on manufacturers' published specifications as of June 12, 2017. For more information, see [hp.com/go/printerspeeds](http://hp.com/go/printerspeeds). <sup>2</sup> Mobile device needs to be connected to Wi-Fi Direct<sup>®</sup> signal of a Wi-Fi Direct-supported AiO or printer prior to printing. Details at [hp.com/go/mobileprinting](http://hp.com/go/mobileprinting). Wi-Fi Direct<sup>®</sup> is a registered trademark of Wi-Fi Alliance<sup>®</sup>. The HP Colour LaserJet Pro MFP M281fdn model does not offer Wi-Fi Direct. <sup>3</sup> Requires the HP Smart App download. Features controlled may vary by mobile device operating system. Full list of supported operating systems and details at <http://support.hp.com/us-en/document/c03561640>. For details on local printing requirements, see [hp.com/go/mobileprinting](http://hp.com/go/mobileprinting). <sup>4</sup> Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at [hp.com/go/mobileprinting](http://hp.com/go/mobileprinting). Wi-Fi<sup>®</sup> is a registered trademark of Wi-Fi Alliance<sup>®</sup>. The HP Colour LaserJet Pro MFP M281fdn model does not offer Dual Band wireless networking. <sup>5</sup> Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see [hp.com/go/printerclaims](http://hp.com/go/printerclaims). Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>6</sup> Replacement 203A cartridge average composite (C/Y/M) declared yield ~1,300 and average black yield ~1,400 pages; replacement 203X cartridge average composite (C/Y/M) declared yield ~2,500 and average black yield ~3,200 pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see [hp.com/go/learnaboutsupplies](http://hp.com/go/learnaboutsupplies)

# HP Colour LaserJet Pro M280-M281 Multifunction Printer series

Model	HP Colour LaserJet Pro MFP M280nw	HP Colour LaserJet Pro MFP M281fdn	HP Colour LaserJet Pro MFP M281fdw
<b>Functions</b>	Wireless, Print, Copy, Scan	Wireless, Print, Copy, Scan, Fax	
<b>Print</b>			
<b>ePrint capability</b>	Yes		
<b>Speed<sup>d</sup></b>	<b>Black (normal, A4):</b> Up to 21 ppm; <b>Colour (normal, A4):</b> Up to 21 ppm		
<b>First page out<sup>8</sup></b>	<b>Black (A4, ready):</b> As fast as 10.7 sec; <b>Black (A4, sleep):</b> As fast as 12.3 sec <b>Colour (A4, ready):</b> As fast as 12 sec; <b>Colour (A4, sleep):</b> As fast as 12.5 sec	<b>Black (A4, ready):</b> As fast as 10.6 sec; <b>Black (A4, sleep):</b> As fast as 12.4 sec <b>Colour (A4, ready):</b> As fast as 12 sec; <b>Colour (A4, sleep):</b> As fast as 12.6 sec	<b>Black (A4, ready):</b> As fast as 10.6 sec; <b>Black (A4, sleep):</b> As fast as 12.2 sec <b>Colour (A4, ready):</b> As fast as 12.3 sec; <b>Colour (A4, sleep):</b> As fast as 12.6 sec
<b>Technology</b>	Laser		
<b>Resolution (Black/colour, best)</b>	Up to 600 x 600 dpi		
<b>Mobile print capability</b>	HP ePrint; Apple AirPrint™; Mopria™-certified; Wireless Direct Printing; Mobile Apps	HP ePrint; Apple AirPrint™; Mopria™-certified; Mobile Apps	HP ePrint; Apple AirPrint™; Mopria™-certified; Wireless Direct Printing; Mobile Apps
<b>Wireless capability</b>	Built-in 802.11 b/g/n; authentication via WEP, WPA/WPA2, or 802.11x; encryption via AES or TKIP; WPS; Wi-Fi Direct	No	Built-in 802.11 b/g/n; authentication via WEP, WPA/WPA2, or 802.11x; encryption via AES or TKIP; WPS; Wi-Fi Direct
<b>Languages</b>	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PCLm, PDF, URF		
<b>Management</b>	HP Printer Assistant (UDC); HP Utility (Mac); HP Device Toolbox; HP JetAdvantage Security Manager		
<b>Scan</b>			
<b>Technology</b>	Contact Image Sensor (CIS)		
<b>Type</b>	Flatbed, ADF		
<b>Speed (Normal, A4)<sup>9</sup></b>	Up to 26 ppm		
<b>Resolution (Enhanced/Hardware)</b>	Up to 300 x 300 dpi (ADF); up to 1200 x 1200 dpi (Flatbed); up to 300 x 300 dpi (colour and mono ADF); up to 1200 x 1200 dpi (Flatbed)		
<b>Digital sending standard features</b>	Scan to email; scan to folder; scan to USB drive		
<b>Colour scanning</b>	Yes		
<b>Size (ADF/Flatbed)</b>	215.9 x 355.6 mm/215.9 x 297 mm		
<b>Input mode</b>	Front-panel scan, copy, e-mail, fax, or file buttons; HP Scan software; and user application via TWAIN or WIA		
<b>File format</b>	JPEG, RAW (BMP), PNG, TIFF, PDF		
<b>Grayscale level</b>	256		
<b>Bit depth</b>	24-bits (colour); 8-bits (mono)		
<b>Copy</b>			
<b>Speed (A4, normal)</b>	<b>Black:</b> Up to 21 ppm; <b>Colour:</b> Up to 21 ppm		
<b>Resolution</b>	<b>Black (text and graphics):</b> Up to 600 x 600 dpi <b>Colour (text and graphics):</b> 600 x 600 dpi		
<b>Max no of copies</b>	Up to 99 copies		
<b>Copier resize</b>	25 to 400%		
<b>Fax</b>			
<b>Transmission speed</b>	No	33.6 kbps (maximum), 14.4 kbps (default)	
<b>Fax memory</b>	No	Up to 1300 pages	
<b>Resolution (Best)<sup>7</sup></b>	No	Up to 300 x 300 dpi	
<b>Fax features</b>	No	<b>Auto fax reduction supported:</b> Yes; <b>Auto-redialing:</b> Yes; <b>Fax delayed sending:</b> Yes; <b>Distinctive ring detection supported:</b> Yes; <b>Fax forwarding supported:</b> Yes; <b>Junk barrier supported:</b> Yes; <b>CSID matching only:</b> Caller ID not supported; <b>Maximum speed dialing numbers:</b> Up to 120 numbers; <b>PC interface supported:</b> Yes; <b>Fax polling supported:</b> Yes (receive only)	
<b>Connectivity</b>			
<b>Connectivity</b>	Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100/1000 Base-TX network port, 802.11n 2.4/5GHz wireless, Front Host USB	Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100/1000 Base-TX network port, Fax port, Front Host USB	Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100/1000 Base-TX network port, 802.11n 2.4/5GHz wireless, Fax port, Front Host USB
<b>Network ready</b>	Standard built-in Ethernet 802.11 b/g/n wifi operates as both an AP (with Wi-Fi Direct) and STA	Standard built-in Ethernet	Standard built-in Ethernet 802.11 b/g/n wifi operates as both an AP (with Wi-Fi Direct) and STA
<b>Network Capabilities</b>	Yes, via built-in 10/100/1000 Base-TX Ethernet; Auto-crossover Ethernet; Authentication via 802.11x		
<b>Memory (maximum)</b>	256 MB DDR, 256 MB Flash		
<b>Processor speed</b>	800 MHz		
<b>Media</b>			
<b>Duty cycle</b>	Up to 40,000 pages		
<b>Recommended Monthly Page Volume</b>	150 to 2500		
<b>Automatic Document Feeder</b>	Up to 50 pages		
<b>Duplex print options</b>	No	Automatic (standard)	
<b>Paper handling</b>	250-sheet input tray; 1-sheet priority tray; 100-sheet output bin		
<b>Type</b>	Paper (bond, brochure, colored, glossy, heavy, letterhead, light, photo, plain, preprinted, prepunched, recycled, rough), transparencies, labels, envelopes, cardstock		
<b>Media weight</b>	60 to 163 g/m <sup>2</sup> (Uncoated/Matte, recommended), however up to 175 g/m <sup>2</sup> Postcards and 200 g/m <sup>2</sup> HP Matte is allowed in the driver; 60 to 163 g/m <sup>2</sup> (Coated/Glossy, recommended), however up to 175 g/m <sup>2</sup> Postcards and 220 g/m <sup>2</sup> HP Glossy is allowed in the driver.		
<b>Media sizes custom</b>	76 x 127 to 216 x 356 mm		
<b>Dimensions (W x D x H)</b>	420 x 388.6 x 334.1 mm	420 x 421.7 x 334.1 mm	
<b>Weight</b>	18.0 kg	18.7 kg	
<b>Systems</b>			
<b>Compatible operating systems</b>	Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista®: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows® XP SP3 or higher (32-bit only); any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows Server support is provided via the command line installer and supports Win Server 2008 R2 and higher. Apple® OS X El Sierra (v10.12), Capitan (v10.11), Yosemite (v10.10); 1.5 GB HD; Internet required; USB. Linux (For more information, see <a href="http://hplipopensource.com/hplip-web/index.html">http://hplipopensource.com/hplip-web/index.html</a> ). Unix (For more information, see <a href="http://www.hp.com/go/unixmodelscripts">http://www.hp.com/go/unixmodelscripts</a> )		
<b>Minimum system requirements</b>	<b>PC:</b> Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista®: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows® XP SP3 or higher (32-bit only); any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows Server support is provided via the command line installer and supports Win Server 2008 R2 and higher. <b>Mac:</b> Apple® OS X Sierra (v10.12), El Capitan (v10.11), Yosemite (v10.10); 1.5 GB HD; Internet required; USB		
<b>Security management</b>	Embedded Web Server: password-protection, secure browsing via SSL/TLS; Network: enable/disable network ports and features, SNMPv1 community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication; Firewall and ACL; SNMPv3		
<b>Control panel</b>	2.7" colour graphic touch screen with 3 button at left side (Home, Help, Back)		
<b>Power</b>	<b>Power supply type:</b> Internal (Built-in) power supply; <b>Power supply required:</b> 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz)(Not dual voltage, product varies by part number with # Option code identifier); <b>Power consumption<sup>2</sup>:</b> 342 watts (active printing), 8.0 watts (ready), 1.2 watts (sleep), 0.1 watt (Manual-Off), 0.1 (Auto-off/Manual-on), 0.1 watt (Auto-Off/Wake on LAN); <b>Typical Electricity Consumption number:<sup>5</sup></b> ES: 0.759 kWh/Week; BA: 0.696 kWh/Week	<b>Power supply type:</b> Internal (Built-in) power supply; <b>Power supply required:</b> 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz)(Not dual voltage, product varies by part number with # Option code identifier); <b>Power consumption<sup>2</sup>:</b> 342 watts (active printing), 8.0 watts (ready), 1.2 watts (sleep), 0.1 watt (Manual-Off), 0.1 (Auto-off/Manual-on), 0.1 watt (Auto-Off/Wake on LAN); <b>Typical Electricity Consumption number:<sup>5</sup></b> ES: 0.759 kWh/Week; BA: 0.669 kWh/Week	
<b>Software included</b>	For Windows OS: HP Software Installer, HP Software Uninstaller, HP PCL6 Printer Driver, HP Device Experience (DXP), HP Web Services Assist (HP Connected), Device Setup & Software, HP Printer Assistant, HP Product Improvement Study, Online user manuals, HP Scan Driver, HP Scan Application. For Mac OS: Welcome Screen, (Directs users to HP.com or OS App Source for LaserJet Software)	For Windows OS: HP Software Installer, HP Software Uninstaller, HP PCL6 Printer Driver, HP Device Experience (DXP), HP Web Services Assist (HP Connected), Device Setup & Software, HP Printer Assistant, HP Product Improvement Study, Online user manuals, HP Scan Driver, HP Scan Application, HP Fax Driver, HP Fax Application. For Mac OS: Welcome Screen, (Directs users to HP.com or OS App Source for LaserJet Software)	
<b>Acoustics</b>	<b>Acoustic Power Emissions:</b> 6.4 B(A) (Mono), Simplex; 6.3 B(A) (Colour), Simplex; 6.3 B(A) (Mono), Duplex; 6.3 B(A) (Colour), Duplex; <b>Acoustic Power Emissions (ready):</b> 2.6 B(A); <b>Acoustic Pressure Emissions Bystander (active, printing):</b> 50 dB(A) (Mono), Simplex; 50 dB(A) (Colour), Simplex; 50 dB(A) (Mono), Duplex; 49 dB(A) (Colour), Duplex; <b>Acoustic Pressure Emissions Bystander (ready):</b> 16 dB(A)		
<b>Environmental ranges</b>	<b>Operating Temperature Range:</b> 15 to 30°C; <b>Recommended Operating Temperature:</b> 17 to 25°C; <b>Non-operating Humidity Ranges:</b> 0 to 95% RH; <b>Operating Humidity Range:</b> 10 to 80% RH; <b>Recommended Operating Humidity Range:</b> 30 to 70% RH; <b>Storage temperature:</b> -20 to 40°C		
<b>Supported network protocols</b>	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing; Discovery: SLIP, Bonjour, Web Services Discovery; IP Config: IPv4 (Boot), DHCP, AutoIP, Manual, IPv6		
<b>What's in the box<sup>1</sup></b>	HP Color LaserJet Pro MFP M280nw(T6B80A); Introductory HP LaserJet Color cartridges (~700 color composite (CYM) yield and ~1400 page yield black); Installation guide; Printer documentation and software on CD-ROM; Power cord; USB cable	HP Color LaserJet Pro MFP M281fdn(T6B81A); Introductory HP LaserJet Color cartridges (~700 color composite (CYM) yield and ~1400 page yield black); Installation guide; Printer documentation and software on CD-ROM; Power cord; USB cable (AP only)	HP Color LaserJet Pro MFP M281fdw(T6B82A); Introductory HP LaserJet Color cartridges (~700 color composite (CYM) yield and ~1400 page yield black); Installation guide; Printer documentation and software on CD-ROM; Power cord; USB cable
<b>Warranty features</b>	1 Year Limited Warranty (Return to HP/Dealer - Standard Bench Repair)		

## HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

### Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

### Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

### Basic Care (minimum recommended support):

Next Business Day Onsite Support

### 4 hr Onsite Support:

Onsite support within four hours after a service call received within the coverage window

### Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

### Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

### Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization  
For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit [hp.com/go/printservices](http://hp.com/go/printservices)



## Top Features

Achieve the fastest in-class two-sided printing speed and First Page Out Time (FPOT).<sup>1,2</sup> Boost colour productivity with a touchscreen display and easy scan and security features.

Get more pages and help protect your MFP, using Original HP Toner cartridges with JetIntelligence.<sup>6</sup>

Print and scan from your smartphone, and easily order toner, with the HP Smart app.<sup>7</sup> Get a stable, reliable wireless connection with dual band Wi-Fi.<sup>4</sup>

#### Product

<b>T6B80A</b>	HP Colour LaserJet Pro MFP M280nw
<b>T6B81A</b>	HP Colour LaserJet Pro MFP M281fdn
<b>T6B82A</b>	HP Colour LaserJet Pro MFP M281fdw

#### Supplies

<b>CF500A</b>	HP 202A Black Original LaserJet Toner Cartridge (1,400 pages)
<b>CF500X</b>	HP 202X High Yield Black Original LaserJet Toner Cartridge (3,200 pages)
<b>CF501A</b>	HP 202A Cyan Original LaserJet Toner Cartridge (1,300 pages)
<b>CF501X</b>	HP 202X High Yield Cyan Original LaserJet Toner Cartridge (2,500 pages)
<b>CF502A</b>	HP 202A Yellow Original LaserJet Toner Cartridge (1,300 pages)
<b>CF502X</b>	HP 202X High Yield Yellow Original LaserJet Toner Cartridge (2,500 pages)
<b>CF503A</b>	HP 202A Magenta Original LaserJet Toner Cartridge (1,300 pages)
<b>CF503X</b>	HP 202A Magenta Original LaserJet Toner Cartridge (2,500 pages)

#### HP Care Packs

<b>UH757E</b>	HP 3 year Care Pack w/ Next Day Exchange for LaserJet Printers
<b>UH773E</b>	HP 3 year Care Pack w/ Onsite Exchange for LaserJet Printers
<b>UH764E</b>	HP 3 year Care Pack w/ Return to Depot Support for LaserJet Printers
<b>U6N05E</b>	HP Installation with Networking Service for Consumer Printer

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to [hp.com/go/cpc](http://hp.com/go/cpc)

#### HP Inc offices

Australia	(613) 8833 5000	<a href="http://hp.com.au">hp.com.au</a>
China	(010) 6564 3888	<a href="http://hp.com.cn">hp.com.cn</a>
Hong Kong	(852) 3077 2688	<a href="http://hp.com.hk">hp.com.hk</a>
India	(80) 2612 9000	<a href="http://hp.com/in">hp.com/in</a>
Indonesia	(62-21) 5799 1088	<a href="http://hp.com/id">hp.com/id</a>
Korea	(02) 2199 0114	<a href="http://hp.co.kr">hp.co.kr</a>
Malaysia	(603) 2332 3333	<a href="http://hp.com.my">hp.com.my</a>
New Zealand	(09) 918 9555	<a href="http://hp.co.nz">hp.co.nz</a>
Philippines	(632) 888 5900	<a href="http://hp.com/ph">hp.com/ph</a>
Singapore	(65) 6275 3888	<a href="http://hp.com.sg">hp.com.sg</a>
Taiwan	(02) 8722 9000	<a href="http://hp.com.tw">hp.com.tw</a>
Thailand	(662) 353 9500	<a href="http://hp.com/th">hp.com/th</a>
Vietnam	(848) 3823 4151	<a href="http://hp.com/vn">hp.com/vn</a>

For the following countries, please fax your queries to: (65) 6275 6707 Bangladesh • Bhutan • Brunei • Cambodia • Maldives • Nepal • Pakistan • Sri Lanka For more information, please visit us at [hp.com/apac/homeandot\\_ice](http://hp.com/apac/homeandot_ice)

#### HP Order-a-Cartridge

Call HP's Order-a-Cartridge<sup>3</sup> service and have them conveniently delivered to your doorstep.

China	800 820 0851/400 820 0851
India	1800 3003 3003
Korea	080 703 0700

#### HP SureSupply<sup>3</sup>

Discover how HP SureSupply rede ines convenience in purchasing printer cartridge supplies online.

To order online, please visit [hp.com/apac/oac](http://hp.com/apac/oac) for more details.<sup>3</sup>

<sup>1</sup> Requires the HP Smart app download. Features controlled may vary by mobile device operating system. Full list of supported operating systems and details at <http://support.hp.com/us-en/document/c03561640>. For details on local printing requirements see <http://www.hp.com/go/mobileprinting>

<sup>2</sup> Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at <http://www.hp.com/go/mobileprinting>. Wi-Fi is a registered trademark of Wi-Fi Alliance® The HP Colour LaserJet Pro MFP M180n model does not offer Dual Band wireless networking.

<sup>3</sup> Available in selected countries only.

## Technical specification disclaimers

<sup>1</sup> Ship with A black cartridge, introductory cartridges included for C/Y/M ~1400 page yield black and ~700 page yield colour composite (C/Y/M).

<sup>2</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

<sup>3</sup> Declared yield value in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>

<sup>4</sup> Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.

<sup>5</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

<sup>6</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>7</sup> Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

<sup>8</sup> Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>9</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

To learn more, visit [hp.com](http://hp.com)

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

